

SPRAY-QUIP, INC. 1754 DES JARDINES ST. HOUSTON, TX 77023 PH.: 713-923-2771 WWW.SPRAYQUIP.COM



SaniSpray HP[™]

High Production Airless Sprayers Designed Specifically to Spray-Apply Chemicals to Sanitize, Disinfect and Deodorize Faster



Introducing SaniSpray HP from Graco

The industry's first airless high production equipment built specifically for your sanitizing, disinfecting and deodorizing jobs.

Graco's SaniSpray HP products have been designed to deliver consistent coverage, without heavy drips and runs, so that you can achieve specified disinfectant dwell times.

Don't leave your success to chance. Graco SaniSpray solutions include innovative, patented technologies to deliver highest productivity on all your cleaning jobs, small or large.



WATCH NOW
graco.com/SaniSprayHPOverview

Trust Your Disinfection and Sanitation Process to Graco

Graco is committed to providing the highest quality products available.

American Built Quality Since 1926

100% factory-tested and field-proven Graco's professional spray equipment is designed, manufactured, and assembled in the USA with global components.

Industry-Leading Service and Support

We have you covered with around-the-clock product support.



Use SaniSpray HP for high production sanitizing, disinfecting and deodorizing jobs... EVERYWHERE



Food Services

Housing & Education

Hospitality

Health Care

Not all airless sprayers are created equal. Only Graco's SaniSpray HP sprayers are designed and built specifically to be compatible with sanitizing and disinfecting chemicals while applying them with maximum efficiency.

ONLY SANISPRAY HP:



DELIVERS THE HIGHEST SPEED & PRODUCTIVITY

Choose the SaniSpray HP model by its flow rate to match job requirements



DELIVERS CONSISTENT ATOMIZATION & COVERAGE

Delivers the proper atomization required to quickly and consistently coat surfaces to disinfect and sanitize efficiently




IS BUILT FOR YOUR APPLICATIONS

Uniquely built with the highest grade materials that are compatible with disinfectants, sanitizers and deodorizers—unlike traditional airless paint equipment

COMES WITH EVERYTHING YOU NEED TO START NOW


Ready to spray out of the box with everything you need—just add disinfectant and get to work



The Old Way

- Inconsistent coverage with drips and runs
- Additional step required to wipe area down
- Small reservoirs require frequent filling

The SaniSpray HP Way



CONSISTENT COVERAGE FROM EDGE TO EDGE

- Consistent application coverage delivered in high production or fine mist spray methods
- Complete surface coverage to meet chemical dwell time requirements
- Fastest application method-period
- Choose from a variety of RAC X[™] LP QuickChange[™] tip sizes to meet spray width and speed needs



Part # 25R792

Disinfecting Solutions Guide Choose the Right Sprayer for Your Specific Job

RECOMMENDED SPRAYER	SaniSpray HP 20 Corded & Cordless Handheld Sprayer	SaniSpray HP 65 Portable Hopper Sprayer	SaniSpray HP 130 2-Gun Cart Airless Sprayer	SaniSpray HP 750 4-8 Gun Cart Airless Sprayer	
	LOW – Up to 15 Gallons Per Week	MEDIUM – Up to 50 Gallons Per Week	HIGH – Up to 100 Gallons Per Week	HIGHEST – Up to 500 Gallons Per Week	
PRODUCTION	LOW – Up to .019 in Tip / Up to 20 fl oz per in	MEDIUM – Up to .023 in Tip / Up to 65 fl oz per min	HIGH – Up to .031 in Tip / Up to 130 fl oz per min	HIGHEST – Up to .031 in Tip / Up to 750 fl oz per min	
NEEDS	1 Gun	1 Gun	Up to 2 Guns	Up to 8 Guns	
	-	Up to 300 ft of Hose per Gun	Up to 300 ft of Hose per Gun	Up to 500 ft of Hose per Gun	
MATERIAL CAPACITY	42 oz Flexliner™	1.5 Gallon Hopper	Spray from Any Container	Spray from Any Container or from included 10 gal hopper	
POWER SOURCE	120v Corded or 20V DEWALT® Lithium-Ion Battery	120V Corded	120V Corded	240V Corded or 120V with optional accessory	
MATERIAL COMPATIBILITY	CORDED – List-N Disinfectant Materials that are Non Alcohol-Based (Non-Flammable) CORDLESS – List-N Disinfectant Materials identified below	List-N Disinfectant Materials Identified Below	List-N Disinfectant Materials Identified Below	List-N Disinfectant Materials Identified Below	

List-N Disinfectant Material Compatibility

- Compatible with List-N disinfectants that meet EPA's criteria for use against SARS-CoV-2, the novel coronavirus that causes the disease COVID-19
- Approved Alcohol-based (Flammable) Active Ingredients Ethanol, Isopropanol (except for SaniSpray HP 20 Corded model)
- Approved Non-Alcohol Based Active Ingredients—Aldehydes, Phenols, Quaternary Ammonium Compounds, Sodium Hypochlorite (Bleach), Peroxyacetic Acid, Hydrogen Peroxide, Hypochlorous Acid
- Consult with your material manufacturer to confirm spray application
 and equipment compatibility

With our SaniSpray HP 20, we were able to cut our turnaround time by a 3rd. We went from a 45 minute turnaround time down to only 15 minutes, just by integrating the SaniSpray HP 20 into our cleaning process.





Learn more at graco.com/SaniSprayHP

Jay Soule – Owner of AL & ALMA'S Minnetonka, MN



SPRAY UP TO 20 OZ PER MINUTE

FINISH SMALL JOBS FAST

· Perfect for areas that require maximum portability

ADJUSTABLE FLOW CONTROL

• Full-range control delivers either complete coverage on specific objects or fine spray within an area

FILL & SPRAY 42 oz FLEXLINER BAG SYSTEM

- · Extended spraying between refills
- Spray in any direction—even upside down

TRIAX[™] AIRLESS PISTON PUMP WITH PROCONNECT[™]

REVERSE-A-CLEAN (RAC®) X LP SWITCH TIPS™

 Choose from a wide variety of RAC X[™] LP spray tips to meet your disinfectant's dwell time and requirements

15 INCH SPRAY EXTENSION

- · Provides additional reach
- Reduces operator chemical exposure

SaniSpray HP 20 Cordless Includes:

BRUSHLESS DC MOTOR

• Dependable motor with spark-free operation provides ability to spray alcohol-based (flammable) chemicals

(2) DEWALT 20V LITHIUM-ION BATTERIES & CHARGER

• Sprays up to 2.5 gallons on each charge



A Sprayer for Every High Production Job



The complete line of SaniSpray HP sprayers are built to deliver the highest level of productivity on every job—whether you need to treat a small room or an entire complex, there is a SaniSpray HP model with the performance to take on the task.



3X FASTER THAN SANISPRAY HP 20

POUR & GO 1.5 GALLON HOPPER

 Hopper delivers extended spray time along with self contained portability



GRAB & GO SELF-CONTAINED SYSTEM • Carry sprayer and material together—lid

prevents splashes and spills while carrying

EXTENDED REACH TO SPRAY ANYWHERE

· Add up to 300 ft of hose to spray anywhere

POWERFUL DC MOTOR

• DC motor with spark arrestor provides ability to spray alcohol-based (flammable) chemicals



ADJUSTABLE PRESSURE CONTROL

PROX[™] AIRLESS PISTON PUMP WITH PROXCHANGE[™]

LIGHTWEIGHT SANISPRAY HP GUN

• Allows products to be applied faster to speed up disinfection process

REVERSE-A-CLEAN (RAC) X LP SWITCH TIPS

• Choose from a wide variety of RAC X LP spray tips to meet your coating's dwell time and atomization requirements

15 INCH SPRAY EXTENSION

- · Provides additional reach
- · Reduces operator chemical exposure



Learn more at graco.com/SaniSprayHP



2X FASTER THAN SANISPRAY HP 65

2-GUN PRODUCTIVITY DELIVERED

Simultaneous dual gun performance for maximum disinfection rates

SPRAY FROM ANY CONTAINER

Extended spraying without refills

EXTENDED REACH TO SPRAY ANYWHERE

Add up to 300 ft of hose per gun to spray anywhere

SMARTCONTROL[™] ADJUSTABLE PRESSURE CONTROL

 Full range control delivers even coverage on specific objects or area fine misting

ROLL & GO CART DESIGN

Easily move sprayer and chemical bucket together

ENDURANCE[™] PISTON PUMP WITH PROCONNECT

LIGHTWEIGHT SANISPRAY HP GUN

Allows faster application to speed up disinfection process

REVERSE-A-CLEAN (RAC) X LP SWITCH TIPS

· Choose from a wide variety of RAC X LP spray tips to meet your coating's dwell time and atomization requirements

15 INCH SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure

MAXPOWER[™] MOTOR & ADVANTAGE DRIVE[™]

 Dependable motor with spark-free operation provides ability to spray alcohol-based (flammable) chemicals



SaniSpray HP 750 500 Gallons or Less Every Week

4-Gun or 8-Gun Cart Sprayer

MAXIMUM PRODUCTIVITY

PRODUCTIVITY DELIVERED

- Highest production airless disinfectant sprayer available
- · Sanitize and disinfect up to 400,000 sq ft from one central location for maximum production

MATERIAL FEED OPTIONS

· Siphon from a 5-55 Gal container or easily fill the 10 Gallon stainless steel hopper

EXTENDED REACH TO SPRAY ANYWHERE

· Add up to 500 ft of hose per gun to spray anywhere

ADJUSTABLE PRESSURE CONTROL

- Multiple tips provided to meet your disinfectant's dwell time and atomization requirements
- Adjustable from 0-1200 psi

HEAVY DUTY CART WITH WHEELS

· For portability and maneuverability with flat-free tires

STAINLESS STEEL PUMP LOWER

LIGHTWEIGHT SANISPRAY HP GUN

Allows faster application to speed up disinfection process

REVERSE-A-CLEAN (RAC) X LP SWITCH TIPS

· Choose from a wide variety of RAC X LP spray tips to meet your coating's dwell time and atomization requirements

QUIET ELECTRIC MOTOR

- Requires 240V/ 20A supply power
- 74 dB
- Minimal service, only requires oil

240V/ 20A Supply Power

Key Accessories and Repair Parts

Keep your SaniSpray HP sprayers in top performance with these time saving accessories and repair parts designed specifically for disinfecting, sanitizing, and deodorizing.



	Part #	SaniSpray HP 20 Sprayers		
		FLEXLINER BAGS & KITS		
	17F005	42 oz (1.2 l) FlexLiner Bags, 3-pack – Bags that can be reused or recycled for fast cleanup		
2 oz (1.2 l)	17P549	42 oz (1.2 l) FlexLiner Bags, 25-pack		
De.	17P553	Extra 42 oz (1.2 l) FlexLiner Cup System – Includes Cup Support, Liner, Lid, Plug		
		BATTERIES & CHARGERS		
-	17P474	DEWALT 20V MAX Lithium-Ion Battery		
	17P475	DEWALT 20V MAX Lithium-Ion Charger		
		SPRAY TIPS, GUARDS, SEALS & EXTENSIONS		
	LPxxx RAC X Low Pressure SwitchTips (LPxxx) – Choose from a wide v of RAC X LP spray tips to meet your dwell time and requirement			
ð	17P573	SaniSpray HP 20 RAC X Guard		
	25R872	SaniSpray HP TipSeals 5-pack – Essential seal between gun and tip that eliminates leaking		
2	246215	RAC X Guard – For use on end of SaniSpray HP Extension		
	25T282	SaniSpray HP Tip Extension 15 in (38 cm) – Provides additional reach and reduces operator chemical exposure		
		FILTERS & AIR CAPS		
	17P554	60-Mesh Filter, 3-Pack		
	17P712	VacuValve [™] Air Caps, 3-pack		
		PUMP REPLACEMENT KITS		
	19Y962	SaniSpray HP 20 Corded Triax Complete Pump Replacement		
	19Y967	SaniSpray HP 20 Cordless Triax Complete Pump Replacement		

The fast and easy way to look up common Graco parts. gracopartsbook.com



6





Part # 273216 (4 gun) Part # 273217 (8 gun)

	Part #				
	Part #	SaniSpray HP 65, 130 & 750 Sprayers SPRAY GUNS, TIPS, GUARDS & SEALS			
×1	25R874	SaniSpray HP Spray Gun – Allows products to be applied faster to speed up disinfection process			
T	LPxxx	RAC X Low Pressure SwitchTips (LPxxx) – Choose from a wide variety of RAC X LP spray tips to meet your dwell time and requirements			
3	246215	RAC X Guard			
	25R872	SaniSpray HP TipSeals 5-pack – Essential seal between gun and tip that eliminates leaking			
	273226	SaniSpray HP 750 – 4 gun upgrade kit			
		HOSE, EXTENSIONS & FITTINGS			
	25C828	BlueMax™ II Airless 1/8 in x 4.5 ft (3.2 mm x 1.4 m) Whip Hose – 3300 psi (227 bar)			
	240793	BlueMax II Airless 1/4 in x 25 ft (6.4 mm x 7.5 m) Airless Hose – 3300 psi (227 bar)			
-	240794	BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) Airless Hose – 3300 psi (227 bar)			
	223771	BlueMax II Airless 1/4 in x 100 ft (6.4 mm x 30 m) Airless Hose – 3300 psi (227 bar)			
	25T282	SaniSpray HP Tip Extension 15 in (38 cm) – Provides additional reach and reduces operator chemical exposure			
	16A005	SaniSpray HP 1/4 in x 1/4 in (6.4 mm x 6.4mm) Stainless Steel Hose Fitting			
	POWER CONVERSION KIT				
	25D489	SaniSpray HP 750 120v Conversion Kit			
	FILTERS & STRAINERS				
		Filters and Strainers – Remove unwanted debris and reduce spray tip clogs to improve productivity			
-	257094	SaniSpray HP 65 Pump Filter			
	112133	SaniSpray HP 65 Hopper Inlet Strainer			
9	235004	SaniSpray HP 130 Inlet Strainer			
		PUMP LOWERS			
Æ	25R920	SaniSpray HP 65 Complete Pump Replacement			
	25R916	SaniSpray HP 130 Endurance™ Pump Lower			
HP 130	247881	SaniSpray HP 750 Pump Repair Kit			



• •	SaniSpray HP 20* Corded Handheld Sprayer	SaniSpray HP 20 Cordless Handheld Sprayer			SaniSpray HP 750 4-8 Gun Cart Airless Sprayer	
Part Number	25R790 25R791		25R792	25R793	273216 (4-gun) / 273217 (8-gun)	
Max Flow (Fl Oz/Min)	20 (0.6 l) 20 (0.6 l)		65 (1.9 l)	130 (3.8 l) Ability to use 2 guns simultaneously	750 (22.2 l) Ability to use 4 or 8 guns simultaneously	
Max Tip Size	.019 in .019 in		.023 in	.031 in / 2-gun .023 in	8-gun .031 in	
Pressure	Adjustable 0-1,000 psi (70 bar) Adjustable 0-1,000 psi (70 bar)		Adjustable 0-1,000 psi (70 bar)	Adjustable 0-1,000 psi (70 bar)	Adjustable 0-1,200 psi (82.7 bar)	
Particle** Micron Size	Adjustable Particle Size Fine Mist to Coarse Spray			Adjustable Particle Size Fine Mist to Coarse Spray	Adjustable Particle Size Fine Mist to Coarse Spray	
Capacity	Fill and SprayFill and Spray42 oz (1.2 l) Reservoir42 oz (1.2 l) Reservoir		Pour & Go 1.5 Gallon (5.7 I) Reservoir	High Production Use ANY Container	10 Gal (38 l) Hopper or Siphon Feed	
Power Source	120V Corded DEWALT 20V Cordless lithium Batteries		120V Corded	120V Corded	240V Corded	
Includes	313 Fine Mist Spray Tip, 515 & 619 Medium & Coarse Spray Tips, 15 in Spray Extension, 5 FlexLiner Bags, Storage Plug & Storage Bag	313 Fine Mist Spray Tip, 515 & 619 Medium & Coarse Spray Tip, 15 in Spray Extension, (2) DEWALT 20V Max 2.0 ah Lithium-Ion Batteries, Charger, 5 FlexLiner Bags, Storage Plug & Storage Bag	SaniSpray HP Gun, 1/4 in x 50 ft BlueMax II Hose, 1/8 in x 4.5 ft BlueMax II Whip Hose, Fine Mist Spray Tip (515), Medium & Coarse Spray Tips (617 & 619), 15 in Spray Extension	(2) SaniSpray HP Guns, (2) 1/4 in x 50 ft BlueMax II Hoses, (2) 1/8 in x 4.5 ft BlueMax II Whip Hoses, (2) 15 in Spray Extensions, Fine Mist Spray Tips (2-617), Medium & Coarse Spray Tips (2-619 & 2-621)	(4 or 8) SaniSpray HP Guns, (12 or 24) 1/4 in x 100 ft BlueMax II Hoses, (4 or 8) 1/8 in x 4.5 ft BlueMax II Whip Hoses, (4 or 8) 15 in Spray Extensions, Fine Mist Spray Tips (4 or 8- 617), Medium & Coarse Spray Tips (4 or 8- 619 & 4 or 8- 723)	
Modular Repair	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	

*SaniSpray HP 20 Corded Handheld sprayers cannot spray alcohol based (flammable) products.

** Particle size will vary based on tip size, pressure and disinfection product used. Average particle size measured when spraying water ranges from 30-110 microns.

		RAC X LP SWITCH TIPS:						
		LESS ┥ MATERIAL FLOW				MORE		
		FINE MIST		ATOMIZATION			COARSE SPRAY	
Narrow	IN	.013	.015	.017	.019	.021	.023	.025
	6-8	LP 313	LP 315	-	-	-	-	-
SPRAY	8-10	-	LP 415	LP 417	LP 419	LP 421	LP 423	LP 425
PATTERN WIDTH	10-12	-	LP 515	LP 517	LP 519	LP 521	LP 523	LP 525
	12-14	-	-	LP 617	LP 619	LP 621	LP 623	LP 625
Wide	14-16	_	-	-	_	-	LP 723	LP 725
Wide		-	-	-	-		LP 723	

North America Only

📰 SaniSpray HP 20 Optimal Range 📒

SaniSpray HP 65 Optimal Range

SaniSpray HP 130 & 750 Optimal Range

SPRAY WITH CONFIDENCE

American Built Quality

Graco SaniSpray HP airless sprayers are designed, manufactured, assembled and 100% factory-tested in the USA with global components

Limited 90-Day Warranty

- Every Graco SaniSpray HP sprayer is backed by a 90 day parts-only replacement warranty
- Simply contact Graco at (844) 241-9499
- No Returns

Modular Repair Kits

See your local Graco distributors for country specifics.

- To avoid transmission of infectious germs, SaniSpray HP sprayers are not returnable, and may not be serviceable at distributors or service centers
- Easy modular service kits are available for most sprayers—serviced by the end user

For more information visit graco.com Every Graco purchase comes with A+ Customer Service. Questions? Call (844) 241-9499



©2020 Graco Inc. 3J0080D 7/20 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. With respect to 20V MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.