




In today's market, the demand for new construction as well as repairing older infrastructure is increasing. With more stringent building codes being set, architects and builders are looking for more resilient structures that are efficient.

### **STUCCO**



For stucco applications, the ToughTek S340e Stucco Pump handles scratch coat, brown coat and finish coat.

### **EIFS**



For EIFS applications (Exterior Insulation and Finish System), the ToughTek S340e Stucco Pump handles air/water-resistive barriers, EIFS base coat and finish coat.

# Boost Your Productivity

To meet this growing demand, your business needs to get more jobs done in the same amount of time. Adding and training new skilled team members will increase what you can get done, but will not improve cost per square foot. The next step is looking for efficiencies in your operations and one place to improve is moving away from hand troweling stucco and EIFS materials.





# Stucco and EIFS Product Line

Select the right pump for your business.

## ToughTek® S340e

Engineered with Graco's proprietary piston pump technology, the ToughTek S340e can easily handle everything from heavy, abrasive scratch and brown stucco base coats to EIFS base and finish coats. The S340e can also deliver all materials through long hose lengths, allowing you to spray farther distances and get the job done sooner.



### **ToughTek P20**

The smallest of the three P Series pumps, the ToughTek P20 is ideal for medium sized plaster applications as well as small jobs like pointing, or filling, the spaces between stone or grout. Because it is built with a rotor stator motor, this pump provides long-lasting durability and rugged performance for even the thickest mortar materials. In addition, its compact design and light weight make it easy to transport and use on the jobsite.



## ToughTek P30HT

If you like the compact size of the P20 rotor stator pump, but are looking for more output, the ToughTek P30HT is the perfect fit for your business. Upgrade to this pump if you plan to use epoxy-based mortars (or other thick high-viscosity materials) or plan to spray taller buildings, such as sport stadiums, high-rises, apartment complexes, hospitals or parking garages to name a few.



ROTOR STATOR PUMP

# ToughTek P30X-HT

The ToughTek P30X-HT is perfect for contractors who are looking for versatility and features for medium to large stucco and EIFS projects. The P30X-HT has a large 60-gallon (227 liter) hopper and offers superior performance for a variety of stucco and EIFS materials.



Known as the workhorse because of its 600 psi output pressure, the ToughTek P40 is built for high volume applications. The high flow rate and high pressure allows contractors to pump stucco and EIFS up a tall building while keeping the pump on the ground, saving your operation time.



ROTOR STATOR PUMP



ROTOR STATOR PLIMP



# ToughTek S340e Piston Pump


The compact design and small footprint of the S340e makes it easy to transport into a jobsite and fit into tight spaces so you can spray with ease. Switch from the traditional hawk and trowel method to this light weight pump and start increasing your profits by reducing time spent on your next job.



# ToughTek P30HT Rotor Stator Pump.

The ToughTek P30HT, along with all of the rotor stator pumps, is engineered with the latest rotor stator pump technology and can handle the heavier base coats that need to move through longer distances of hose. This allows you to spray farther distances to get the job done sooner.






# Higher Production with a Serious Mixer

With a ToughTek Continuous Mixer, it's easy to improve your crew's production rates by automatically mixing pre-blended mortar products such as EIFS, plaster, stucco, self-leveling underlayments, refractory materials, masonry and grout.

Simply turn the machine on, set the water flow rate for your specific material and break bags of material into the hopper. The system automatically does the rest. A ToughTek Continuous Mixer eliminates the need to manually measure water into the mix, which takes time and doesn't always produce consistent results day to day.



#### **AMERICAS**

#### **MINNESOTA**

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

#### **MAILING ADDRESS**

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

#### **EUROPE**

#### BELGIUM

Graco BVBA Industrieterrein-Oude Bunders Slakweidestraat 31 B-3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

#### ASIA PACIFIC

#### **AUSTRALIA**

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

#### **CHINA**

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South,
Huangpu District
Shanghai, 200011
The People's Republic of China
Tel: 86 21 649 50088 Fax: 86 21 649 50077

#### INDIA

Graco India Private Limited
4th Floor
Augusta Point
Sector 53, Golf Course Road
Gurgaon, Haryana, India 122001
Tel: 91 124 435 4208 Fax: 91 124 435 4001

#### JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

#### KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400 Fax: 82 31 476 9801







# **Graco Has You Covered**

**Facilities Worldwide for Global Support** 



### **Quality First**

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your application challenges.



### **Global Reach**

Graco has facilities across the globe to provide you with the products and service you need, where you live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.



### **Product Capabilities**

Graco has a broad range of products that are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

**Contact us today!** Call 866-361-5959 to talk with a Graco representative, or visit www.graco.com/toughtek for more information.